


FIG. 1

FIG. 2

Incubate candidate antibody with native aaHAse



Wash away unbound material and add acidic assay medium








FIG. 3




			OI O	7 -#	7 m	ر ع ک	0 &	က်လ	O 10	က္ဝ	
	8	117	162	207	252 268	295	340 358	385	430	435 490	
		Y W	D W	D C	V L V T Q	T T N Q V L	Z X W	N P N P D	B B .		
3	P D X	T. F.	O O	G F P F P P	MP A L. N	4	I K E	1 1 H	A P V C K.	 P S T	
	7	T F Q D A K K D	0 0 A 1 V 0 A 1	WGF Y	PSIY PSIY	Q F Y R I V F.	S C Q A S C L L	KALL SDYL	P G W Q S T L S	. X . X	Ŋ
:	A N G S R R I	AHLAR DHLDK	ORSRA NRSIE	R P R G L R P N H L	SRALY	VL PYVVF AYT	TRTK MRSM	R T S H P K N W N S	K C R C Y C S C	E P Q I F	FIG.
	ESF I	ASL I ISL Q	DIY R DVY K	G G A L	O H O N M M	Z A S	S WE N	R C V C I C I R R	AVE BSEK B	 Met	
	× × × × × × × × × × × × × × × × × × ×	Z Z Z Z	D T K K P K	T L Q L G	QLGW DLSW	A A G D P D A K	V L W V V I W G	S C H G O E O G	QAQM LĘQF	 L K P P	NO: 3) NO:11)
;	V D V E P L D	F G G L	A F N W	MAGI LVE	O N N	A.VA SKIP	A G V S G I	D 1 A	LED	 DAFI	(SEQ. ID
	K K T F D	E P V V T V	P R M	R A W K D F	I R A E I K	F	Q G A L G A	0 s 0	A L S K P T	· · · · V C I	435 S L 509
	1 U	1 T G	A WRE WR	G A A K A G	PSG FNV	A E A R E A	S A A T V A	A L L	L R G	 A D G	 S V A
- (N T O Y P S E P	YYTP YIDS	I D WE	э О Б Б О О Б Б Б О	о О О О В В В	R N R V	T F GE	VTSG VTLA	GPLS GKFT	D V C I	
	∀ ∀ ∀ Z Z X X X	T Y P Y Y P	GLAV GMAV	V A A A A A A A	7 7 7 0 2 2 2 2	QMYV TLYV	E H V Y	L L L Z Z	P C A	 D A V	. I
F	- X - X	7 L	s.	E A T E	L S K K	SA	DE		0 L T 10	 D T	. >
	ARL	S S Q V D R	P D F D N L	Р Q V Т Е А	урғ ннұ	T G K P V A	E E	L H		S M W D V K	 M F I
É	¥ > Z Z	FY		P A S L	Z Z	Е С Q S	H X	E E	s z	R R A	A T
	ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20









HSC-3 Orthotopic SCC Model Peritumor Injections of Recombinant Human PLasma HA'se





Fig. 10

Muristerone Injected HSC-3 +/- Ecdysone Inducible Hyaluronidase Gene Construct



Time to Cachexia (15% Weight Loss) HSC-3 Orthotopic Model

♣ 400rRTU PHase (PT) q.48 Hours






FIG. 12